


The Faces of War: Traumatic Combat Wounds and Facial Reconstruction in the First World War




John A. Haymond




A Historical Context of Facial Wounds






Private Rowland Ward. After he was wounded in 1864, it took multiple surgeries to produce the result shown at far right. The medical notes indicate that the initial operations were performed without anesthetic.









A British soldier treated at Queen Mary's Hospital, Sidcup.



Private William
Thomas.

Left, after he was
wounded in 1918;
and at right, as he
appeared in 1924
after numerous
surgeries.





Preventative Measures and Medical Responses



An experimental helmet with moveable eye screens.





British 8-inch guns in action in the Battle of the Somme, 1916.



A piece of time fuse from an artillery shell, extracted from a wounded soldier's cheek.





Gunshot wounds to the face. A British soldier, above, and a German soldier, right.



ПЕТРОГРАДСКОЕ
СЛАВНОЕ
БЛАГОТВОРИТЕЛЬНОЕ
ОБЩЕСТВО
ЛАЗАРЕТЬ

Идеи: сербской армии
Милана Ставица


Раненъ 23^{го} сентября
на германской батарее.

Части пули, извлеченныя изъ раны.

Сентябрь 29 1914 г.
№ Сер. акта 29



Старый врачъ Н. Соколовъ



S. D. Boak,
Colonel D. G., U. S. Army



18.

Hôpital temporaire n° 43
Collection LEMAITRE 1

S. D. Boak
Colonel D. G., U. S. Army



6.

Collection LEMAITRE 1

Dr. Harold Gillies








Walter Yeo. In the photo at left, his facial scarring has left him unable to close his eyes. The photo at right shows him after Dr. Gillies performed the skin-grafting procedure.



Lieutenant William Spreckley was wounded at Ypres. Dr. Gillies' construction of a new nose restored him to a more normal appearance; the photo at far right shows him nearly 50 years after he was wounded.

PRINCIPLES

(b) With Pedicle "tubed." (Author's Method.)



Seaman Willie Vicarage was wounded at the Battle of Jutland in 1916.

He was an early recipient of Dr. Gillies' revolutionary tubed pedicle procedure.



Flap from neck to form lip + cheek



106. Sabau. B3. 13-9-16

Pedicle of Flap removed.



131. Sabau. B3. 20-10-16



186. Sabau. B3. 3-2-17




258. Sabau. B3. 29-5-17
New Mouth formed.




257. Sabau. B3. 29-5-17
False Nose + Mustache



113. Wheeler. E5. 18-9-16



247. Sgt. Jabbutt. #3. 4-5-17



281. Sgt. Jabbutt. #3. 19-6-17



394. Sgt. Jabbutt. #3. 8-11-17




277. Sgt. Tuffroy. #3. 16-6-17



332. Sgt. Tuffroy. #3. 30-8-17



441. Sgt. Tuffroy. #3. 5-1-18



104. Beaver, H₃ 13-9-16




128. Beaver, H₃ 19-10-16




427. Beaver, H₃ 30-11-17



378. Beaver, H₃ 4-6-17



64. Cheney, C₃ 10-7-16




201. Cheney, C₃ 19-2-17

LE CALVAIRE D'UNE GUEULE CASSÉE



Décembre 1914.
3 mois après la blessure.



Juin 1915:



Mai 1916.



Juillet 1917.



Recovery and Rehabilitation of Facial Wound Casualties





Private Harold Page



